4	
יוט	

		יוט	
	Application No.	Applicant(s)	
	09/811,134	NOVOTNY, RAYMOND J.	
Notice of Allowability	Examiner	Art Unit	
	Thomas J. Mullen, Jr.	2632	
The MAILING DATE of this communication appr All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap) or other appropriate communication IGHTS. This application is subject t	plication. If not included n will be mailed in due course. THI	I S iative
1. \boxtimes This communication is responsive to <u>the amendments file</u>	d 8/3/04, 10/22/04 and 12/23/04.		
2. The allowed claim(s) is/are 1-15 and 21-29.			
3. The drawings filed on are accepted by the Examine	er.		
 4. ☐ Acknowledgment is made of a claim for foreign priority use a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 			
2. Certified copies of the priority documents have	e been received in Application No	·	
 Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). 	ocuments have been received in this	national stage application from the	е
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply MENT of this application.	complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent application (PTO-152) which giv	nitted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF ation is deficient.	
6. X CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) including changes required by the Notice of Draftspers		·948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	•	,	
(b) including changes required by the attached Examiner	s Amendment (Comment) or in the C	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	1.84(c)) should be written on the drawi the header according to 37 CFR 1.121(ngs in the front (not the back) of d).	
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL i	must be submitted. Note the	
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Da 08), 7. 🛛 Examiner's Amendr	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance	
of Biological Material	9. Other		
Note: Subst. Specification has	boon entered.		

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) Application/Control Number: 09/811,134 Page 2

Art Unit: 2632

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

IN THE CLAIMS

On line 1 of claims 1-3, 7-9, 12, 14-15, "[PREVIOUSLY AMENDED]" has been changed to --[PREVIOUSLY PRESENTED]--.

On line 1 of claims 22, 24 and 25, "[PREVIOUSLY ADDED]" has been changed to --[PREVIOUSLY PRESENTED]--.

2. COMMENT RE DRAWINGS

The "substitute" drawings filed 8/3/04 (which were neither labeled "Replacement" nor "Annotated" as required by 37 CFR 1.121(d)) are acceptable as to the changes presented therein, but are informal with respect to 37 CFR 1.84. A complete set of <u>formal</u> drawings is now required.

3. The following is an examiner's statement of reasons for allowance:

the art of record fails to teach or suggest a burglar alarm and door chime, comprising circuit logic means mounted to a back plate which is fastened to a protected enclosure side of a door, and receiving control inputs from chime/delay alarm modes electric switching means and On/Off power electric switching means to select a delay alarm mode or a chime mode, instant lock-alarm mode electric switching means and non-contacting sensing means;

the logic means further cooperating with an audible alarm and chime means and an independent power supply;

a front cover fastened to the back plate, and containing manual arming spring-biased instant lock-alarm slide means cooperating with the instant lock-alarm mode electric switching means;

a jamb plate fastening to an opposing doorjamb and cooperating with the manual arming spring-biased instant lock-alarm slide means during the opening of the door to actuate an instant lock-alarm mode;

Art Unit: 2632

the non-contacting sensing means comprising a transmitting means attached to the jamb plate and a receiving means attached to the back plate, the receiving means responsive to the transmitting means to automatically actuate the selected delay alarm mode or chime mode responsive to the opening and closing of the door.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas J. Mullen, Jr. whose telephone number is 571-272-2965. The examiner can normally be reached on Monday-Thursday from 6:30 AM to 4 PM. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Wu, can be reached on (571) 272-2964. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-2600.

TJM

homas J. Mullen, Jr Primary Examiner Art Unit 2632